95 YEARS HÄFELE GERMANY

30 YEARS HÄFELE SINGAPORE

HÄFELE

WARDROBE PLANNER.

www.hafele.com.sg

HÄFELE GROUP SINCE 1923

HÄFELE WORLDWIDE

Häfele is an internationally organized family owned and operated business with headquarters in Nagold, Germany. It was founded in 1923 and today serves the furniture industry, architects, planners, cabinet makers/joiners as well as dealers in over 150 countries around the world with furniture fittings and architectural hardware as well as electronic access control systems. Häfele develops and manufactures hardware fittings and electronic access control systems in 6 factories in Germany and Hungary. In the 2016 financial year the Häfele Group achieved exports of 79% with over 7300 employees in 37 subsidiaries and numerous additional dealerships around the world and revenue of 1.3 billion Euros.

fittings and electronic access control systems as well as supports our partners on the latest technologies and comprehensive solutions. While the Head Office Distribution Centre has over 120,000 stock line articles, we have over 2,000 different articles in our Local Warehouse for our customers.

All in all, Häfele offers our customers with exceptional customer services, high level of efficiency and inventiveness in our products which made us the right home solutions provider and partner.

HÄFELE IN SINGAPORE

Quality and service based on German standards, have allowed Häfele to grow steadily and become a world-class company. With our experience in the furniture and construction industry, Häfele has become one of the leading hardware specialist not only worldwide but also in Asia.

Established in Singapore since 1988, Häfele supplies our clients with architectural hardware, furniture

WE OFFER

MORE SPACE.

Thanks to cabinet solutions for every space requirement.

MORE ATMOSPHERE.

Thanks to bright lighting concepts.

MORE CONVENIENCE.

Thanks to intelligent solutions from A to Z.

MORE LIFE PER M²

MORE FLEXIBILITY.

Thanks to the different application possibilities of sliding doors.

DEUTSCHE QUALITÄT SEIT 1923

GERMAN QUALITY. SINCE 1923 .

OPTIMAL ACCESS AREAS IN THE WARDROBE MAKE YOUR LIFE EASIER



THE ACCESS ABC FOR HIM.

The order of the clothing to be removed corresponds to your personal course of action in the morning. For example: underwear, socks, T-shirt, shirt suit, tie...

1 Easy access area. This area can be accessed by the respective person without major ergonomic posture changes. Ideally equipped with illuminated wardrobe rails and shelving.

2 Optimum access area. Items of clothing that are removed from the wardrobe at least once a day are perfectly stored in the special feature of the wardrobe. Easy to combine with concealed drawer boxes, drawers with inserts and shelves.

What a pleasant idea: less bending and stretching. No clearing and searching. One look, one movement – and you have the desired piece of clothing in your hand. Get an overview of your clothes and think about what you wear and how often – and where it should be stored most appropriately.



3 Ergonomic access area. Ease of access is provided with the aid of shelves, baskets and pull-out systems.

4 Sporty access area. Items of clothing that are used less frequently, seasonal clothing, suitcases, ironing boards etc. are well looked-after here. Wardrobe lifts and step stools make it easier to access the upper part of the wardrobe.

THE ACCESS ABC FOR HER.

The order of the clothing to be removed corresponds to your personal course of action in the morning. For example: underwear, silk stockings, blouse, T-shirt, suit, scarf.

1 METRE WARDROBE RAIL FOR:

30 SHIRTS
(3 cm / shirt)

25 TROUSERS, SKIRTS
(4 cm / pair of trousers / skirt)

20 SUMMER JACKETS
(4 cm / jacket)

15 WINTER JACKETS
(6-8 cm / jacket)

1.80-2.00 METRES
Ideal height for evening gowns and coats.

1.40-1.50 METRES
For summer dresses and short coats.

1.00-1.10 METRES
For shirts, suits and jackets.

0.80-0.90 METRES
For trousers, skirts and suits.

26 CENTIMETRES that is the length of a size 39 ladies' shoe. The depth of a shoe cabinet in centimetres is quickly calculated at 2/3 of the shoe size.

30-40 CENTIMETRES

of storage space for infrequently used objects such as suitcases, travel bags and winter beds.

THE ONLY THING THAT MATTERS

Before a new wardrobe is brought into the house, it is worth taking a look inside the old one. Because the right CONFIGURATION is easy to work out on the basic of the existing clothing and shoes.

4

PULLOVERS

can be stacked on insert mats without the sensitive fabric being damaged.

60

CENTIMETRES

is the ideal depth for a wardrobe. A coat hanger is between 43 and 47 cm wide - with a blazer, for example, the width increases to 50 to 55 cm.

CONTENT.

WARDROBE FITTINGS

PAGE 9

RUNNERS

PAGE 20

LOOX LIGHTING SOLUTIONS

PAGE 24

SLIDING & FOLDING DOOR FITTINGS

PAGE 44

BED FITTINGS

PAGE 53

HINGES & SHELF SUPPORTS

PAGE 58

FURNITURE HANDLES

PAGE 67

WARDROBE FITTINGS

PULL-OUT STORAGE SYSTEM PREMIO.

Pull-out tray

Cabinet width	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
600	560-590x475x70	Black	806.24.384	**139.10**
		White	806.24.784	**131.35**
900	860-890x475x70	Black	806.24.387	**149.59**
		White	806.24.787	**141.88**

Tray accessories

Material	Dim. (WxDxH)mm	Cat. No.	Price* (SGD)
	122x302x50	811.19.301	**15.52**
	162x302x50	811.19.302	**18.36**
	202x302x50	811.19.303	**19.62**

Pull out drawer with divider

Material	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
Aluminium frame	560-590x475x100	Black	806.24.324	**148.41**
		White	806.24.724	**140.98**
	860-890x475x70	Black	806.24.327	**163.07**
		White	806.24.727	**154.93**

Pull out drawer

Material	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
Aluminium frame	560-590x475x150	Black	806.24.304	**163.95**
		White	806.24.704	**155.75**
	860-890x475x150	Black	806.24.307	**174.29**
		White	806.24.707	**165.58**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

PULL-OUT STORAGE SYSTEM PREMIO.

Pull out shoe rack				
Cabinet width	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
600	560-590x475x150	Black	806.24.334	**151.88**
		White	806.24.734	**144.29**
900	860-890x475x150	Black	806.24.337	**175.14**
		White	806.24.737	**166.41**

Pull out trouser rack				
Cabinet width	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
600	560-590x475x70	Black	806.24.314	**115.62**
		White	806.24.714	**109.85**
900	860-890x475x70	Black	806.24.317	**125.12**
		White	806.24.717	**118.88**

Pull out laundry bag				
Cabinet width	Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
600	560-590x475x500	Black	806.24.374	**149.56**
		White	806.24.774	**143.81**

Under shelf mounting bracket			
Dim. (WxDxH)mm	Finish	Cat. No.	Price* (SGD)
-	Black	806.24.391	**38.35**
	White	806.24.791	**38.35**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

PULL-OUT STORAGE SYSTEM PREMIO.

Side pull out belt rack, for 8 belts			
Dim. (WxDxH)mm	**Finish**	**Cat. No.**	**Price* (SGD)**
86x482x88	Black	805.68.310	**23.45**
	White	805.68.210	**28.25**

Side pull out tie rack, for 19 ties			
Dim. (WxDxH)mm	**Finish**	**Cat. No.**	**Price* (SGD)**
86x482x88	Black	805.68.300	**23.65**
	White	805.68.700	**28.45**

Side shoes holder set			
Dim. (WxDxH)mm	**Finish**	**Cat. No.**	**Price* (SGD)**
420-700x200x95	Black	806.24.353	**19.83**
	White	806.24.753	**18.85**

Side pull out basket			
Dim. (WxDxH)mm	**Finish**	**Cat. No.**	**Price* (SGD)**
210x470x95	Black	806.24.760	**24.16**
	White	806.24.260	**22.96**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

PULL-OUT MIRROR.

Mirror, extending, swivels by 180			
Dim. (WxDxH)mm	**Finish**	**Cat. No.**	**Price* (SGD)**
450x38x565	Silver	805.72.291	**179.86**
450x38x1155		805.72.290	**200.09**



We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

SPECIAL WARDROBE FITTINGS

SHOE RACK PULL-OUT

Extending rack with shoe shelves for up to 50 pairs of shoes
Extending and rolating (180°) for access from both sides
Shelves can easily be hooked in and removed for easy cleaning

Version:	Shoes rack pull-out rotates through 180°
Installation:	For screw fixing.
For internal cabinet height:	1,680 mm
For internal cabinet depth:	≥ 365 mm
For internal cabinet width:	≥ 800 mm
Load bearing capacity:	2kg per shelf max. shoes length 310 mm

Shoe rack pull-out			
Material	**Colour**	**Cat. No.**	**Price*(SGD)**
Hanging frame: Steel, Shelves: Plastic	Black	806.22.401	**1038.00**
	Grey	806.22.501	
	White	806.22.701	

Extending rack with shoe shelves for up to 20 pairs of shoes
Extending and rolating (180°) for access from both sides
Shelves can easily be hooked in and removed for easy cleaning

Version:	Shoes rack pull-out rotates through 180°
Installation:	For screw fixing.
For internal cabinet height:	1,000 mm
For internal cabinet depth:	≥ 365 mm
For internal cabinet width:	≥ 800 mm
Load bearing capacity:	2kg per shelf max. shoes length 310 mm

Shoe rack pull-out			
Material	**Colour**	**Cat. No.**	**Price* (SGD)**
Hanging frame: Steel, Shelves: Plastic	Black	806.22.400	**690.00**
	Grey	806.22.500	
	White	806.22.700	



*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

WARDROBE LIFT.

Material: Steel arm and clothes rail, and plastic housing, connecting parts and pull-rod
Installation: Screw fixing to side panel
*For internal wardrobe widths 440-610mm and 600-1000mm, please check with sales representatives.

Wardrobe lift, cabinet width 770-1200mm*			
Load bearing capacity, kg	**Finish**	**Cat. No.**	**Price* (SGD)**
1.6-10	Black	805.20.255	**148.73**
	Grey	805.20.557	**148.73**

Material: Steel arm and clothes rail, and plastic housing, connecting parts and pull-rod
Colour: Housing and connecting parts- Black
Installation: For screw fixing to side panel into 32 mm series drilled holes

Wardrobe lift, cabinet width 870-1190mm			
Load bearing capacity, kg	**Finish**	**Cat. No.**	**Price* (SGD)**
5-15	Nickel plated	805.24.330	**362.73**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

WARDROBE RAIL, ROUND.

Aluminium wardrobe rail		
Length	**Cat. No.**	**Price* (SGD)**
3000 mm	801.21.936	**15.12**

Wardrobe rail, aluminium silver anodized		
Length	**Cat. No.**	**Price* (SGD)**
2500 mm	833.72.790	**35.42**

Wardrobe support		
Length	**Cat. No.**	**Price* (SGD)**
Nickel plated	803.33.757	**0.40**
Coarse Silver	803.33.990	**0.69**

Version: Screw fixing beneath shelves,
height adjustment
Height adjusment: 85-105mm

Rail centre support, zinc alloy		
Length	**Cat. No.**	**Price* (SGD)**
Chrome plated	802.07.200	**8.50**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

WARDROBE RAIL, SQUARE.

Wardrobe rail, square 25 x 15 x 2000 mm			
Material thickness	**Material**	**Cat. No.**	**Price* (SGD)**
1.5mm	Stainless steel, matt brushed	801.37.013	**91.16**

Rail end support			
Version	**Material**	**Cat. No.**	**Price* (SGD)**
For screw fixing to side panel	Stainless steel, matt brushed	803.42.090	**26.05**
For screw fixing beneath shelf		803.42.070	**55.32**

Rail centre support			
Version	**Material**	**Cat. No.**	**Price* (SGD)**
For screw fixing beneath shelf	Stainless steel, matt brushed	802.11.010	**61.53**

Hook			
Version	**Material**	**Cat. No.**	**Price* (SGD)**
For sliding onto wardrobe rail	Stainless steel, matt brushed	803.29.070	**33.19**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

IRONFIX IRON BOARD.

Ironfix built-in ironing boards, pull-out		
Cover	**Cat. No.**	**Price* (SGD)**
Aluminium	568.60.723	**228.39**

Material: Fitting parts- White plastic-coated steel, ironing board cover- cotton
Version: When the drawer is opened the supports automatically extend
Installation: For screw fixing.
Internal cabinet width required: 362-500 mm
Minimum cabinet depth required: 500 mm
Supplied with: 2x cabinet rails, 1x collapsible ironing board support system with pre-assembled 2-part extending runners, 1x folding ironing board, 1x ironing board cover, fixing materials, operating and mounting instructions

Ironfix built-in lateral ironing board		
Cover	**Cat. No.**	**Price* (SGD)**
Aluminium	568.60.793	**248.24**

Material: Fitting parts: White epoxy coated steel, ironing board cover: cotton
Version: Ironing board folds out, swivels 180 and can be positioned at 15 stages
Installation: For screw fixing.
Internal cabinet width required: 520 mm
Internal cabinet depth required: 350 mm
Internal cabinet height required: 125 mm
Supplied with: 1x support fitting, 1x ironing board, 1x ironing board cover, fixing materials and fitting instructions

Ironfix wall mounting ironing board		
Cover	**Cat. No.**	**Price* (SGD)**
Aluminium	568.66.723	**219.35**

Material: Fitting parts: White plastic coated steel ironing board, ironing board cover: cotton
Version: With turning mechanism; swivel range 180. Can be locked in left, right or inclined position
Installation: For screw fixing.
Supplied with: 1x wall mounting bracket, 1x Folding support, 1x Folding ironing board, 1x Ironing board cover, Fixing materials, Operating and mounting instructions

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

RUNNERS

DYNAPRO FULL EXTENSION RUNNER



GRASS DYNAPRO Soft-close Full extension drawer			
Length (mm)	**Load (kg)**	**Cat. No.**	**Price* (SGD)**
500	40	433.19.590	**63.45**
	70	433.20.510	**97.81**

GRASS DYNAPRO Tipmatic Soft-close opening system, min. front gap 2.5mm		
Supplied with	**Cat. No.**	**Price* (SGD)**
1 Tipmatic soft-close eject unit 2 Followers	433.19.080	**70.31**

GRASS DYNAPRO Synchronisation rod			
Cabinet width (mm)	**Length (mm)**	**Cat. No.**	**Price* (SGD)**
1200	952	433.19.086	**7.74**

UNDERMOUNTED SOFT CLOSING RUNNER

Undermounted full extension runner soft close, include clips			
Length	**Load**	**Cat. No.**	**Price* (SGD)**
300 mm	30 kg	433.10.462	**16.05**
350 mm		433.10.463	**17.12**
400 mm		433.10.464	**18.19**
450 mm		433.10.465	**19.80**
500 mm		433.10.466	**21.40**
550 mm		433.10.467	**23.54**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

BALL BEARING RUNNERS

Material: Steel
Finish: Black
Guided by: 2 ball cages
Version: Soft closing
Fitting to side panel: Screwing into 32mm series drilled holes
Fitting to drawer: Screw fixing, lateral installation

Full extension ball bearing runner, with soft close function		
Installation length L (mm)	**Cat. No.**	**Price* (SGD)**
300	432.16.330	**11.75**
350	432.16.335	**12.96**
400	432.16.340	**13.56**
450	432.16.345	**14.89**
500	432.16.350	**15.84**
550	432.16.355	**17.63**
600	432.16.360	**18.67**

Material: Steel
Finish: Galvanized or black galvanized
Guided by: 2 ball cages
Version: Can be disengaged using release lever, with stay closed feature for holding in closed position
Temperature range: -20 to +80C
Fitting to side panel: Screwing into 32mm series drilled holes
Fitting to drawer: Screw fixing, lateral or horizontal installation
Load capacity: 30kg/pair
Height: 45 mm
Installation: Side mounted

Full extension, load bearing capacity up to 30 kg					
Installation length L (mm)	**Extension length AL (mm)**	**Thickness 1.2**			
		Galvanized	**Price* (SGD)**	**Black**	**Price* (SGD)**
250	250	422.25.258	**7.18**	422.25.267	**7.55**
300	300	422.25.301	**7.18**	422.25.310	**7.55**
350	350	422.25.356	**7.49**	422.25.365	**7.81**
400	400	422.25.409	**7.70**	422.25.418	**8.08**
450	450	422.25.454	**7.92**	422.25.463	**8.71**
500	500	422.25.507	**8.45**	422.25.516	**8.81**
550	550	422.25.552	**9.44**	422.25.561	**9.84**
600	600	422.25.605	**10.44**	422.25.614	**10.83**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

SCALA DRAWER BOX

GRASS SCALA H63 drawer set, internal height min 78 mm				
Finish	**Length (mm)**	**Load (kg)**	**Cat. No.**	**Price* (SGD)**
Stone	500	40	551.93.505	**66.34**



GRASS SCALA CRYSTAL PLUS H186 drawer set, internal height min 206 mm				
Finish	**Length (mm)**	**Load (kg)**	**Cat. No.**	**Price* (SGD)**
Stone	500	40	551.98.505	**127.33**
		70	551.98.515	**170.13**

Note: Glass panel is not included in the package.

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX LIGHTING SOLUTIONS

HÄFELE CONNECT

BLUETOOTH-LOW-ENERGY (BLE) BOX

SYSTEM OVERVIEW

A BLE box has up to four output channels and is powered by a 12 V or 24 V driver via two leads. The Häfele Connect BLE box uses Bluetooth to communicate with a smartphone or tablet.

The following situations can be intuitively and easily controlled with the Häfele Connect app:

- Switching on/off and dimming lights.
- Switching on/off and dimming multi white lights and adjusting the colour temperature.
- Switching on/off and dimming RGB lights and adjusting the light colour.
- Pre-setting individual light scenarios for different occasions.
- Switching sound systems on and off.
- Controlling of TV lifts, electric sliding doors or other electric drives in the Häfele product range.

Description	Cat. No.	Price* (SGD)
12 V		
BLE box, 4 channel	850.00.005	**116.97**
BLE box, Multi-white	850.00.015	**128.23**
BLE box, RGB	850.00.017	**128.23**
24 V		
BLE box, 4 channel	850.00.006	**116.97**
BLE box, Multi-white	850.00.016	**128.23**
BLE box, RGB	850.00.018	**128.23**





*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 2039 12V

RECESS MOUNTED LIGHT, ROUND, IP65

Description	Cat. No.	Price* (SGD)
Loox LED 2039, 3000K, Chrome plated	833.72.092	**27.56**
Loox LED 2039, 4000K, Nickel plated matt	833.72.091	**28.66**



LOOX LED 2002 12V

SURFACE MOUNTED DOWNLIGHT, ROUND

Description	Cat. No.	Price* (SGD)
Loox LED 2002, 3000K, Silver plastic	833.73.222	**19.55**
Loox LED 2002, 5000K, Silver plastic	833.73.213	**19.55**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 2020 12V

RECESS MOUNTED LIGHT, ROUND, IP44
SURFACE MOUNTED DOWNLIGHT, ROUND, IP20

Description	Cat. No.	Price* (SGD)
Loox LED 2020, 3000K, nickel plated matt	833.72.280	**23.17**
Loox LED 2020, 4000K, nickel plated matt	833.72.283	**23.17**

LOOX LED 2020 accessories		Cat. No.	Price* (SGD)
Bezel	Nickel plated matt	833.72.800	**2.56**

LOOX LED 2045 12V

FLEXIBLE STRIP LIGHT, 5M, 90 LEDs/m, 7.2 W/m



Description	Cat. No.	Price* (SGD)
Loox LED 2045, 3000K, 5m	833.73.181	**189.76**
Loox LED 2045, 5000K, 5m	833.73.183	**189.76**

LOOX LED 2045 accessories		Cat. No.	Price* (SGD)
① Interconnecting lead, 3.5A with clip for LED strip light	50mm	833.73.767	**2.24**
	500mm	833.73.768	**2.80**
	1000mm	833.73.769	**3.15**
	2000mm	833.73.770	**3.73**
② 2 m lead with 12 V plug system and clip for LED strip light		833.73.739	**3.73**
③ Clip connector for LED strip light		833.73.731	**0.65**
④ Corner connector rigid, left and right for LED strip light		833.73.733	**1.37**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 2043 12V

FLEXIBLE STRIP LIGHT, 5M, 60 LEDs/m, 4.8 W/m



Description	Cat. No.	Price* (SGD)
Loox LED 2043, 3000K, 5m	833.73.121	**106.20**
Loox LED 2043, 5000K, 5m	833.73.123	**106.20**

LOOX LED 2043 accessories		Cat. No.	Price* (SGD)
① Interconnecting lead with clip for LED strip light	50mm	833.73.767	**2.24**
	500mm	833.73.768	**2.80**
	1000mm	833.73.769	**3.15**
	2000mm	833.73.770	**3.73**
② 2m lead with 12 V plug system and clip for LED strip light		833.73.739	**3.73**
③ Clip connector for LED strip light		833.73.731	**0.65**
④ Corner connector rigid, left and right for LED strip light		833.73.733	**1.37**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX LED 2034/2035 12V

FLEXIBLE LIGHT WITH USB CHARGING STATION

Description	Cat. No.	Price* (SGD)
Loox LED 2034, 4000K, usb charging 5V, chrome plated	833.74.090	**59.01**
Loox LED 2034, 4000K, usb charging 5V, black	833.74.091	**54.27**
Loox LED 2035, 4000K, chrome plated	833.74.150	**43.63**
Loox LED 2035, 4000K, black	833.74.151	**40.66**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 2028 12V

SENSOR-CONTROLLED PLINTH LIGHT, IP44

Description	Cat. No.	Price* (SGD)
Loox LED 2028, 2700K, stainless steel matt	833.73.110	**30.70**
Loox LED 2028, 2700K, black	833.73.111	

LOOX LED DRIVER CONSTANT VOLTAGE 12V

Loox LED Driver for 12 V System

Description	Cat. No.	Price* (SGD)
Loox Adapter 12 V, 20W	833.74.960	**27.19**
Loox Adapter 12 V, 40W	833.74.962	**45.84**
Loox Adapter 12 V, 60W	833.74.964	**57.69**

Description	Cat. No.	Price* (SGD)
Primary lead UK	833.89.000	**4.82**

Leads, Distributors and Multi-Switch for 12 V System

Description	Extension leads 2000mm	4-way extension lead for additional lights, 6500mm	6-way distributor - for connecting lights to one driver	3-way distributor with switching function	Multi switch box with integrated toggle switch
					
Cat. No.	833.73.766	833.74.773	833.74.798	833.74.751	833.89.066
Price* (SGD)	**3.04**	**12.91**	**7.43**	**6.22**	**10.74**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 3022/3023 24V

RECESS/SURFACE MOUNTED DOWNLIGHT, ROUND SURFACE AREA LIGHT

LED 3022

LED 3023

Description	Mounting	Cat. No.	Price* (SGD)
Loox LED 3022, 3000K	Recess mounted	833.75.100	**60.75**
Loox LED 3022, 4000K		833.75.101	**60.74**
Loox LED 3023, 3000K	Surface mounted	833.77.130	**62.37**
Loox LED 3023, 4000K		833.77.131	**62.37**



LOOX LED 3024/3025 24V

RECESS/SURFACE MOUNTED DOWNLIGHT, SQUARE SURFACE AREA LIGHT

LED 3024

LED 3025

Description	Mounting	Cat. No.	Price* (SGD)
Loox LED 3024, 3000K	Recess mounted	833.75.090	**63.89**
Loox LED 3024, 4000K		833.75.091	
Loox LED 3025, 3000K	Surface mounted	833.77.120	**65.53**
Loox LED 3025, 4000K		833.77.121	

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX LED 3015 24V

FLEXIBLE STRIP LIGHT, 5M, 120 LEDs/m, 15 W/m



① ② ③ ④

Description	Cat. No.	Price* (SGD)
Loox LED 3015, 3000K, 5m	833.76.240	**219.08**
Loox LED 3015, 4000K, 5m	833.76.241	
Loox LED 3015, 6000K, 5m	833.76.242	

Loox LED 3015 Accessories		Cat. No.	Price* (SGD)
① 2m lead with 24V plug system		833.77.759	**3.58**
② Interconnecting lead with clip	50mm	833.77.814	**2.09**
	500mm	833.77.815	**2.64**
	1000mm	833.77.816	**3.00**
	2000mm	833.77.817	**3.58**
③ Clip connecor		833.77.760	**0.86**
④ Corner connector		833.77.762	**1.40**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX LED 3032 24V

FLEXIBLE STRIP LIGHT, 5M
2 X 84 MULTI WHITE LEDs/m, 13 W/m

Description	Cat. No.	Price* (SGD)
Loox LED 3032, 2700K - 5000K, 5m, plastic white	833.77.200	**194.81**



LOOX LED 3032 accessories		Cat. No.	Price* (SGD)
① Lead, 3.5 A, and clip, 2000 mm		833.77.757	**3.72**
② Interconnecting lead with clip	50mm	833.77.809	**3.26**
	500mm	833.77.810	**3.38**
	1000mm	833.77.811	**4.01**
	2000mm	833.77.812	**4.69**
③ Clip connector, 3.5A		833.77.776	**1.19**
④ Corner connector, rigid, 3.5A, left and right		833.77.777	**1.88**
⑤ Remote control for multi white mixer		833.77.786	**45.96**
⑥ Multi white mixer with 8-way distributor, max.60W, power consumption 0.6W		833.77.787	**59.21**
⑦ 8-way distributor		833.77.721	**9.61**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX LED 3001 24V

RECESS MOUNTED LIGHT/
SURFACE MOUNTED DOWNLIGHT, ROUND

Description	Cat. No.	Price* (SGD)
Loox LED 3001, 3000K, Silver anodized	833.75.016	**28.62**
Loox LED 3001, 5000K, Silver anodized	833.75.006	**27.94**

Loox LED 3001 Accessories		Cat. No.	Price* (SGD)
Bezel	Silver anodized	833.77.710	**4.19**

LOOX LED DRIVER CONSTANT VOLTAGE 24V

Loox LED Driver for 24 V System		
Description	**Cat. No.**	**Price* (SGD)**
Loox Adapter 24 V, 20W	833.77.945	**27.19**
Loox Adapter 24 V, 40W	833.77.947	**45.84**
Loox Adapter 24 V, 90W	833.77.949	**99.54**

Description	Cat. No.	Price* (SGD)
Primary lead UK 2m	833.89.000	**4.82**

Leads, Distributors and Multi-Switch for 24 V System					
Description	Extension leads 2000mm	4-way extension lead for additional lights, 6500mm	6-way distributor - for connecting lights to one driver	3-way distributor with switching function	Multi switch box with intergrated toggle switch
					
Cat. No.	833.77.714	833.77.813	833.77.724	833.77.723	833.89.066
Price* (SGD)	**3.04**	**12.91**	**7.43**	**6.34**	**10.74**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.



RECESS MOUNTED SPOTLIGHT, SWIVEL FUNCTION

Description		Cat. No.	Price* (SGD)
Loox LED 4012, 4000K	Silver anodized	833.78.090	**40.06**
	Black	833.78.091	**40.06**
Loox LED 4012, 6000K	Silver anodized	833.78.092	**43.09**
	Black	833.78.093	**43.09**

LOOX LED DRIVER CONSTANT CURRENT 350 mA

Loox LED Driver for 350-mA System		
Description	**Cat. No.**	**Price* (SGD)**
Loox Adapter 350mA, 1 - 4W, 4 slot	833.80.900	**30.50**
Loox Adapter 350mA, 5 - 10W, 10 slot	833.80.901	**37.99**

Description	Cat. No.	Price* (SGD)
Cable bridge	833.80.720	**0.36**

Description	Cat. No.	Price* (SGD)
Primary lead UK	833.89.000	**4.82**

Description	Cat. No.	Price* (SGD)
Extension leads 2000mm	833.80.706	**3.01**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX LED 9004

BATTERY-OPERATED LIGHT, SQUARE, SENSOR CONTROLLED

Description	Cat. No.	Price* (SGD)
Loox LED 9004, 4000K, silver plastic, life-time 8 hours	833.87.021	**49.45**

LOOX LED 9005

BATTERY-OPERATED LIGHT, BATTEN DESIGN, SENSOR CONTROLLED

Description	Cat. No.	Price* (SGD)
Loox LED 9005, 6500K, silver plastic, life-time 6 hours	833.87.020	**59.78**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX ALUMINIUM PROFILES



Description	Cat. No.	Price* (SGD)
Profile surface mounting, milky cover, 2500mm	833.72.840	**25.06**
Profile surface mounting, frosted cover, 2500mm	833.72.843	**24.92**

Accessories	Cat. No.	Price* (SGD)
① End cap plastic, silver coloured, 2 pieces	833.72.852	**1.13**
② Mounting bracket, stainless steel, silver coloured, 2 pieces	833.74.832	**1.64**



Description	Cat. No.	Price* (SGD)
Profile surface mounting, milky cover, 2500mm	833.72.841	**24.02**

Accessories	Cat. No.	Price* (SGD)
① End cap plastic, silver coloured, 2 pieces	833.72.853	**1.07**
② Mounting bracket, stainless steel, silver coloured, 2 pieces	833.74.832	**1.64**



Description	Cat. No.	Price* (SGD)
Profile for recess mounting, milky cover, 2500mm	833.72.844	**27.42**
Profile for recess mounting, frosted cover, 2500mm	833.72.845	**26.10**

Accessories	Cat. No.	Price* (SGD)
End cap with cable outlet, plastic, 2 pieces	833.72.855	**0.85**



Description	Cat. No.	Price* (SGD)
Profile for recess mounting, milky cover, 2500mm	833.72.846	**26.34**

Accessories	Cat. No.	Price* (SGD)
End cap with cable outlet, plastic, 2 pieces	833.72.854	**1.16**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

LOOX ALUMINIUM PROFILES



Description	Cat. No.	Price* (SGD)
Profile for recess mounting, angled plus, frosted cover, 2500mm	833.74.845	**33.05**

Accessories	Cat. No.	Price* (SGD)
End cap, plastic, 2 pieces	833.74.848	**1.57**



Description	Cat. No.	Price* (SGD)
Profile for corner mounting, milky cover, 2500mm	833.74.812	**29.47**

Accessories	Cat. No.	Price* (SGD)
① End cap, plastic, 2 pieces	833.74.822	**1.06**
② Mounting plate, stainless steel, silver coloured, 2 pieces	833.74.826	**1.26**





Description	Cat. No.	Price* (SGD)
Glass edge profile, milky cover, 2000mm	833.74.733	**22.21**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

MODULAR SWITCHES

Description	Cat. No.	Price* (SGD)
Sensor switch, modular (on-off switching)	833.89.127	**15.47**



Description	Cat. No.	Price* (SGD)
Door sensor switch, modular	833.89.128	**15.46**

Description	Cat. No.	Price* (SGD)
Motion detector, modular	833.89.129	**16.06**



Description	Cat. No.	Price* (SGD)
Dimmer, modular	833.89.126	**15.47**

Description	Cat. No.	Price* (SGD)
Capacitive switch/ dimmer, modular	833.89.133	**21.58**

Description	Cat. No.	Price* (SGD)
Universal door contact switch, modular	833.89.143	**7.53**

Description	Cat. No.	Price* (SGD)
Lead for modular switch, 2000mm	833.89.142	**5.12**

LOOX SWITCHES, WITH 2 MAT LEAD



Description	Cat. No.	Price* (SGD)
Door contact switch	833.89.059	**5.86**

Description	Cat. No.	Price* (SGD)
Housing for door contact switch ∅13, black	833.89.048	**1.57**

Description	Cat. No.	Price* (SGD)
Push switch	833.89.108	**7.82**

Description	Cat. No.	Price* (SGD)
Rocker switch	833.89.106	**7.12**

Description	Cat. No.	Price* (SGD)
Housing for switch ∅12 surface mounting,14mm	833.89.092	**1.90**
Housing for switch ∅12 surface mounting,16mm	833.89.090	**1.77**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

RADIO RECEIVERS, RADIO REMOTE CONTROLS AND RADIO SWITCHES

Description		Cat. No.	Price* (SGD)
Premium 6-channel radio receiver	12V system	833.73.741	**68.62**
	24V system	833.77.785	**68.62**



Premium 6-channel radio receiver accessories	Cat. No.	Price* (SGD)
Remote control for 12V & 24V system	833.89.121	**31.80**

Description		Cat. No.	Price* (SGD)
Basic 4-channel radio receiver	12V system	833.73.740	**52.10**
	24V system	833.77.784	**52.10**



Basic 4-channel receiver accessories	Cat. No.	Price* (SGD)
Remote control for 12V & 24V system	833.89.120	**30.15**

Description	Cat. No.	Price* (SGD)
Radio switch 12V/ 24V	833.89.122	**28.60**

Radio switch 12V/24V accessories	Cat. No.	Price* (SGD)
Housing for surface mounting	833.89.123	**2.85**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

LOOX SYSTEM COMPONENTS



Description	Cat. No.	Price* (SGD)
Dimmer interface 1-10V, modular 12V/ 24V system	833.89.144	**16.79**

①

②

Description	Cat. No.	Price* (SGD)
①Lead for multi switch box, 2000mm	833.89.069	**5.59**
②Extension lead for switches, 2000mm	833.89.067	**6.24**





Description	Cat. No.	Price* (SGD)
Multi driver box	833.89.061	**17.84**

Description	Cat. No.	Price* (SGD)
Lead for multi driver box, 2000mm	833.89.069	**5.59**



Description	Cat. No.	Price* (SGD)
Inductive charging station - for 12V system, output 5V	833.73.776	**54.63**



Description	Cat. No.	Price* (SGD)
USB converter modular - for 12 V system, output 5V	833.73.751	**6.34**



Description	Cat. No.	Price* (SGD)
Converter 24V to 12V	833.77.934	**18.41**



Description	Cat. No.	Price* (SGD)
Converter 350mA to 12V	833.80.912	**18.41**

Description	Cat. No.	Price* (SGD)
Converter 12V to 24V	833.74.947	**18.90**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

AUDIO SYSTEM 12V

Description	Cat. No.	Price* (SGD)
Sound system 420 with stereo amplified	822.65.034	**281.89**

Description	Cat. No.	Price* (SGD)
Exciter	822.65.002	**81.92**

Description	Cat. No.	Price* (SGD)
Sound system 105 with intergrated exciter 5W	822.65.001	**120.95**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

VERTICAL POWERDOCK WITH USB CONNECTORS



IP54 rated when closed
With neon master switch
3x UK 13 amp sockets
2x USB connectors
Max. 2100mA output
Recommended for use in kitchen, home studies and bedrooms
Requires a 92 mm drilled hole
Supplied with a 2.5 m mains cable with a 13A moulded plug
Order qty: 1 pc

Description	Cat. No.	Price* (SGD)
Colour: Powerdock -Black/aluminium Material: Top - Stainless steel	822.71.021	**189.20**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

SLIDING AND FOLDING DOOR FITTINGS

SYMBOL.

Door weight

Door width

Door height



Door width



Vor Front
Shutter is fixed in a way that is covers the cabinet sides



In Front
Shutter is fixed inside the cabinet

	HOW TO ORDER
1	Calculate the weight of the door
2	Check if the weight carrying capacity of the system is compatible with the door
3	Find the width of the door and order the kit

SAMPLE CALCULATION FOR 1 DOOR OF CABINET

Height	Width	Thickness	S=Specific gravity of MFC	Calculation H x W x T
2.4 m	1.2 m	0.018 m	700 kg/m^3	2.4x1.2x0.018x700 = 36.3 kg

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

SLIDO CLASSIC 50 VF S



Hardware Specification:

1. Automatic anti-derailment device (activated automatically when the door is being hooked-in)
2. Unmistakable hook-in aids on guide parts
3. Unhanded fitting parts, suitable for right and left hand use
4. Minimum door offset allows optimum cabinet organisation
5. Modular system, can be extended with Smuso end position cushioning, soft closing mechanism for centre door and e-drive

Basic fitting set		
Door thickness	**For 2 doors**	**For 3 doors**
Set for guide track in front of base panel	402.54.000	402.54.001
Set for guide track beneath base panel	402.54.002	402.54.003
Price* (SGD)	**135.91**	**176.02**

Tracks and individual components					
Door thickness	**Material**	**Finish/colour**	**Length (mm)**	**Cat. No.**	**Price* (SGD)**
Double running track	Aluminium	Silver coloured, anodized	2500	402.54.602	**50.52**
			3500	402.54.603	**68.67**
Double guide track, for screw fixing to front edge of base panel	Aluminium	Silver coloured, anodized	2500	402.36.802	**24.10**
			3500	402.36.803	**32.32**
	Plastic	Platinum grey, RAL 7036	2500	402.36.822	**9.39**
			3500	402.36.823	**13.18**
Double guide track, for screw fixing beneath base panel	Aluminium	Silver coloured, anodized	2500	402.36.812	**24.38**
			3500	402.36.813	**34.15**
	Plastic	Platinum grey, RAL 7036	2500	402.36.832	**8.77**
			3500	402.36.833	**12.28**
Base profile, for Loox surface mounted lights and Smuso MD	Aluminium	Silver coloured, anodized	2500	402.36.502	**30.63**
			3500	402.36.503	**42.87**
Slot nut, for mounting Loox surface mounted lights/ components in base profile, 1 set of 10 pieces	Steel	Galvanized	-	402.36.490	**0.23**

Smuso Soft and self closing mechanism set, for door weights of max. 35 kg				
Suitable for	**Material**	**Finish/colour**	**Cat. No.**	**Price* (SGD)**
For 2 doors	2 Smuso CD Activators Fixing material	Smuso CD with 50 mm damping distance	402.54.400	**32.21**
		Smuso CD with 100 mm damping distance	402.54.402	**35.14**
For 3 doors	2 Smuso CD 1 Smuso MD Activators Fixing material	Smuso CD with 50 mm damping distance	402.54.401	**109.18**
		Smuso CD with 100 mm damping distance	402.54.403	**111.17**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

SLIDO CLASSIC 70 VF A

Basic fitting set			
Door thickness mm	For 2 doors	For 3 doors	For 4 doors, Syncro
≤19	402.35.000	402.35.004	402.35.008
Price* (SGD)	**83.35**	**110.47**	**324.49**
≤24	402.35.001	402.35.005	402.35.009
Price* (SGD)	**84.69**	**111.81**	**327.21**
≤28	402.35.002	402.35.006	402.35.010
Price* (SGD)	**84.69**	**117.29**	**329.88**
≤40	402.35.003	402.35.007	402.35.011
Price* (SGD)	**85.21**	**118.06**	**334.35**

50e-drive Electric sliding door drive and Smuso soft and self closing mechanism sets			
e-drive sliding door drive			
	For cabinet width mm	Cat. No.	Price* (SGD)
For 2 doors, with control unit	1600-2400	402.35.020	**1062.84**
	2400-4000	402.35.021	**1074.76**
For 3 doors, with 3-door control unit	2500-3100	402.35.025	**1543.47**
	3100-4000	402.35.026	**1560.73**
For 4 doors, Syncro with 4-door control unit	2500-3100	402.35.030	**1548.25**
	3100-4000	402.35.031	**Upon Request**
Smuso soft and self closing mechanism			
	For door weights up to kg	Cat. No.	Price* (SGD)
For 2 doors	25	402.35.022	**176.37**
	50	402.35.023	**154.59**
	70	402.35.024	**176.37**
For 3 doors	25	402.35.027	**276.62**
	50	402.35.028	**250.89**
	70	402.35.029	**276.62**
For 4 doors, Syncro	25	402.35.032	**301.07**
	50	402.35.033	**254.23**
	70	402.35.034	**292.75**

Track and individual components				
	Finish/ Colour	Length mm	Cat. No.	Price* (SGD)
Running track_ Aluminium	Silver coloured	2500	402.35.625	**60.60**
		3500	402.35.635	**82.64**
		6000	402.35.660	**Upon Request**
Double bottom guide track, for screw_ Aluminium	Silver coloured anodized	2500	400.52.954	**44.67**
		3500	400.52.955	**62.54**
		6000	400.52.956	**100.31**
Strenthening profile for pano-rama wardrobe styles_Steel	Galva-nized	2300	402.35.500	**75.86**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

SLIDO SPACE AIR 80 VF



Hardware Specification:

1. Suitable for 2 door and 3 door applications.
2. Running gear: Top running, with nylon roller, white nylon
3. Installation: Sliding mechanism, rail and guide screwing





Description	Max. door thickness mm	Cat. No.	Price* (SGD)
Space Air 80 VF			
For 2 doors	22	406.78.027	**165.85**
	28	406.78.026	**165.85**
For 3 doors	22	406.78.037	**230.05**
	28	406.78.032	**230.05**
Soft close damper mechanism			
Soft close damper 40kg		406.78.311	**38.52**
Soft close damper 80kg		406.78.310	**38.52**
Running track			
Double top running track for screw fixing 2500mm		406.78.922	**85.95**
Double top running track for screw fixing 3500mm		406.78.923	**120.33**
Double bottom guide track for screw fixing 2500mm		407.47.002	**78.91**
Double bottom guide track for screw fixing 3500mm		407.47.004	**110.48**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

EKU FRONTINO 40

Hardware Specification:

1. Door thickness: 19 mm
2. Door Stopper: Stopper system with soft closing mechanism integrated in running equipment
3. Depth: Top 250 mm, bottom 170 mm
4. Running gear: Top running, 4-point guidance, guided by ball bearings
5. Version: With soft closing mechanism. Running gear and tracks for screw fixing
6. Distance from handle to outer edge of door : Handle height30mm

Note:
- Both doors must have identical dimensions.
- The door width specified in the ordering table was calculated with door return at side L = 3 mm.

Drilling pattern for door



A Cabinet width
B Door width
C Door height
H Height
J Centre panel thickness
KH Cabinet height
L Door return, side
M Plinth height
X Drill hole for front fixing

Set for 2 doors			
For internal cabinet width (mm)	For door width (mm)	Cat. No	Price* (SGD)
1200 - 1799	587 - 1197	406.02.032	**1836.52**
1800 - 2199		406.02.033	**1866.15**
2200 - 2400		406.02.034	**1895.78**

Cabinet width (mm)	① in mm
1200 - 1799	180
1800 - 2199	330
2200 - 2400	430

Supplied with
- Running gears
- Guides
- Stoppers
- Soft closing mechanism
- Running and guide track

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

FINETTA FLATFRONT L 100 FB





Hardware Specification:

1. Door thickness: Including handle: 18-45 mm
2. Height adjustment: With hexagon socket
3. Depth: Top fitting without door: min. 334 mm, bottom fitting without door: min. 150 mm
4. Version: For 2 symmetric doors, with soft closing mechanism
5. Door offset: In accordance with calculating formula
6. Distance from handle to outer edge of door (K) min. 10 mm
7. Door overlap at side (G) 23 mm
8. Distance from door to floor 33 mm

Set for 2 doors			
For internal cabinet width (mm)	**For door width (mm)**	**Cat. No**	**Price* (SGD)**
1600* - 1799	821 - 920	406.11.101	**2807.38**
1800* - 1999	921 - 1020	406.11.102	**2841.60**
2000* - 2199	1021 - 1120	406.11.103	**2967.66**
2200* - 2399	1121 - 1220	406.11.104	**3030.27**
2400* - 2599	1221 - 1320	406.11.105	**3203.00**
2600* - 2799	1321 - 1420	406.11.106	**3218.94**
2800* - 2999	1421 - 1520	406.11.107	**3337.59**
3000* - 3199	1521 - 1620	406.11.108	**3362.89**
3200* - 3399	1621 - 1720	406.11.109	**3472.57**
3400* - 3599	1721 - 1820	406.11.110	**3490.46**
3600* - 3799	1821 - 1920	406.11.111	**3510.71**
3800* - 3999	1921 - 2020	406.11.112	**3710.26**

Cover cap			
Material	**Colour**	**Cat. No**	**Price* (SGD)**
Plastic	White	406.11.094	**5.08**

Drilling pattern for top panel



⑩ Front edge of top panel

$$\text{Dim. Y} = \frac{\text{Internal cabinet width on site - *dim. see ordering table}}{2}$$

Drilling pattern for base panel



⑦ Sleeve with M6 internal thread
⑧ Recess for cabinet panel

Installation dimensions

For door drilling pattern

For internal cabinet width (mm)	**Dimensions mm**					
	①	②	③	④	⑤	⑥
1600* - 1799	181	303	154	353	422	177
1800* - 1999		353	204	204	472	227
2000* - 2199		403	254	453	522	277
2200* - 2399		453	304	503	572	327
2400* - 2599		503	354	553	622	377
2600* - 2799	231	503	354	603	672	427
2800* - 2999	281			653	722	477
3000* - 3199	331			703	772	527
3200* - 3399	381			753	822	577
3400* - 3599	431			803	872	627
3600* - 3799	481			853	922	677
3800* - 3999	531			903	972	727

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

FOLDING SLIDING DOOR SILENT-FOLD 40



Hardware Specification:

1. Area of application: For folding sliding doors that are free sliding or mounted to the cabinet on one side with concealed hinges
2. Door weight: up to 20kg (40kg per pair of doors)
3. Vertical door gap width: 1- 4 mm
4. Height adjustment: 2 mm at running gear using screw
5. Running gear: 3 rollers, with plastic coated, ball bearing mounted rollers

Sliding fittings		
Description	**Cat. No**	**Price* (SGD)**
Top running gear, end door	409.61.750	**70.00**
Top running gear, centre door	409.61.930	**95.01**
Bottom guide, end door	409.62.700	**15.00**
Bottom guide, centre door	409.62.900	**27.00**
Panel to panel hinge	409.63.710	**13.00**
Hinge connection, centre	409.62.940	**24.00**

Tracks and individual components			
Description	**Length**	**Cat. No**	**Price* (SGD)**
Single top running track 31 x 31 mm (W x H)	2.0 m	940.42.200	**33.33**
	3.0 m	940.42.300	**50.00**
Bottom guide track	2.0 m	409.60.902	**18.00**
	3.0 m	409.60.903	**27.00**

	Mounted to one side of cabinet					Free standing		
	2-leaf	3-leaf	4-leaf	5-leaf	6-leaf	1 pair doors	2 pair doors	3 pair doors
409.61.750	1 pc	-	1 pc	-	1 pc	2 pcs	2 pcs	2 pcs
409.61.930	-	1 pc	1 pc	2 pcs	2 pcs	-	1 pc	2 pcs
409.62.700	1 pc	-	1 pc	-	1 pc	2 pcs	2 pcs	2 pcs
409.62.900	-	1 pc	1 pc	2 pcs	2 pcs	-	1 pc	2 pcs
409.63.710	3 pcs	3 pcs	6 pcs	6 pcs	9 pcs	3 pcs	6 pcs	9 pcs
409.62.940	-	1 pc	1 pc	2 pcs	2 pcs		1 pc	2 pcs







We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

PLANOFIT STRAIGHTENING FITTING

Hardware Specification:

1. Area of application: Prevents doors warping in either direction or straightens doors which have become warped
2. Door thickness: min. 16 mm
3. Material: Steel threaded rod, zinc alloy tensioner, plastic cover
4. Finish: Threaded rod galvanized, tensioner bright, cover profile, cover caps and retaining plateblack
5. Installation: Can also be retrofitted for doors which warped, 2 straightening fittings recommended per door cover profile caps and retaining plate

Note:
- 2 straightening fittings recommended per door leaf.
- Not suitable for hardwood!
- Please note when using this product in combination with lacquered panels, a pattern of the routed recesses may emerge on the front.



Ⓐ Lock washer
Ⓑ Hexagon nut
Ⓒ Threaded rod
Ⓓ Trim strip
Ⓔ Open-type tensioner
Ⓕ Retaining plate
Ⓖ Closed-type tensioner
Ⓗ Square nut
Ⓘ Cover Cap

Basic fitting set				
Door height (mm)	**Threaded bar length(mm)**	**Trim strip length (mm)**	**Cat. No**	**Price* (SGD)**
Max. 2400	1920	1863	407.90.200	**33.00**
Max. 2650	2195	2138	407.90.201	**35.00**

Supplied with (small pack sets 2)

- Planofit straightening fitting (1 set)
- 1 Threaded bar
- 1 Trim strip
- 2 Tensioners
- 1 Hexagonal nut
- 1 Square nut
- 2 Cover caps
- 4 Plastic retaining plates
- 2 Lock washers
- Installation instructions



*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

BED FITTINGS

COMBI FITTING FOR BEDS.

Bed and desk on one place.
Space-saving, ideal for use as guest bed in residential areas, youth hostels, boats, caravans, hotels, hospitals, public buildings.

Supplied with
1 Fitting set complete for 1 piece of furniture, without fixing material
1 Set of installation instructions
1 CD with CAD data for furniture design

Combi fitting for beds width of 900/1400mm							
Work desk/bed mm	**Dim. (WxHxT)mm**	**Thrust force N**	**Material**	**Colour**	**Installation**	**Cat. No.**	**Price* (SGD)**
900x2000	1050xMin.1447x650	1100	Steel	Black lacquered	For specified furniture design	271.97.300	**491.60**
1400x2000	1503xMin.1777x825	1200				271.97.301	**760.81**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

BED FITTING FOLDAWAY BED



End mounted







Foldaway bed fitting for end mounting bed			
Version	**Load capacity**	**Cat. No.**	**Price* (SGD)**
Pre-tensioned with elastic strap	50-100	271.95.203	**326.60**

Supplied with:

1 Pair of foldaway bed fittings with pivot bearings and positioning bolts for gas-filled struts
2 Securing brackets (anti-tilt facility)
1 Set of fixing material
1 Set of installation instructions

Order reference

-Bed weight = total weight of the bedding box, slatted frame, mattress and bedding
-Order 2 gas-filled struts and 1 pair of angular feet for appropriate bed weight separately.

Gas-filled strut				
Version	**Bed Weight kg**	**Pushing force N**	**Cat. No.**	**Price* (SGD)**
Pre-tensioned with elastic strap	50	900	271.99.220	**121.95**
	60	1100	271.99.266	**111.35**
	70	1300	271.99.300	**121.95**
	80	1500	271.99.346	**101.32**
	90	1700	271.99.382	**128.40**
	100	1900	271.99.410	**138.42**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

BED FITTING FOLDAWAY BED

Side mounted



Foldaway bed fitting for side mounting bed			
Version	**Load capacity**	**Cat. No.**	**Price* (SGD)**
Pre-tensioned with elastic strap	40-80	271.95.204	**383.55**

Supplied with:

1 Pair of foldaway bed fittings with pivot bearings and positioning bolts for gas-filled struts
2 Securing brackets (anti-tilt facility)
1 Safety lever with stop plate
1 Set of fixing material
1 Set of installation instructions

Order reference

-Bed weight = total weight of the bedding box, slatted frame, mattress and bedding
-Order 2 gas-filled struts and 1 pair of angular feet for appropriate bed weight separately.





Gas-filled strut				
Version	**Bed Weight kg**	**Pushing force N**	**Cat. No.**	**Price* (SGD)**
Pre-tensioned with elastic strap	40	400	271.99.122	**111.47**
	50	500	271.99.140	**107.34**
	60	600	271.99.168	**107.34**
	70	700	271.99.186	**103.80**
	80	800	271.99.202	**111.47**

Angular foot			
Version	**Colour**	**Cat. No.**	**Price* (SGD)**
With mounting plate	White Aluminium	271.95.361	**173.11**

Area of application: For supporting the open bed
Material: Steel
Finish: Powder coated
Installation: Screw mounting plate of angular foot to foot side of bed frame and rear side of front panel. A squared edge timber measuring at least 40 x 40 mm is needed on all four sides as slatted frame support.

Bedding strap			
Supplied with	**Mattress width**	**Cat. No.**	**Price* (SGD)**
3 belts	≤ 900 mm	271.87.920	**61.92**
	≤1200 mm	271.87.921	**85.14**
	≤1400 mm	271.87.922	**90.95**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

TABLE TOP SWIVEL FITTING.

Area of application: For small rooms such as work rooms, meeting rooms, children‘s rooms or dining rooms.
Version: One piece of furniture - two function sideboard and table.



Table top swivel fitting			
Width	**Depth**	**Cat. No.**	**Price* (SGD)**
max. 1300mm	max. 500mm	646.31.000	**108.88**

Order Reference
Please order castor separately.

Furniture castor		
Description	**Cat. No.**	**Price* (SGD)**
Hard running surface (For soft floors like carpets)	661.05.320	**2.46**
Soft running surface (For hard floors like parquet flooring)	661.05.330	**2.91**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

HINGES & SHELF SUPPORTS

TIOMOS



TIOMOS 110° hinges soft-close		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	348.31.801	**6.06**



TIOMOS 160° hinges, for tall larder units with soft close		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	348.32.801	**10.45**

TIOMOS hinges pie-cut corner hinge		
Description	**Cat. No.**	**Price* (SGD)**
Pie-cut corner hinge	348.29.600	**11.09**



Mounting plate		
Description	**Cat. No.**	**Price* (SGD)**
Mounting plate, 0 mm	348.38.581	**0.58**



Hinge arm cover cap			
Description	**Side**	**Cat. No.**	**Price* (SGD)**
Hinge arm cover cap, steel, nickel-plated, GRASS imprint	Left	348.40.004	**0.33**
Hinge arm cover cap, steel, nickel-plated, GRASS imprint	Right	348.40.003	**0.33**



Hinge cup cover cap		
Description	**Cat. No.**	**Price* (SGD)**
Steel, nickel-plated, not imprinted	348.40.001	**0.77**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

DELUXE METALLA SM HINGE



Metalla SM hinge		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	315.20.750	**3.56**

Mounting plate		
Description	**Cat. No.**	**Price* (SGD)**
Black finished	315.98.656	**0.93**

Cup cover cap		
Description	**Cat. No.**	**Price* (SGD)**
Black finished	315.59.019	**0.09**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

METALLA SM HINGES



Metalla SM SUS 304 with soft closing, clip on damper hinge, 110°		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	315.06.750	**3.77**
Half overlay	315.06.751	**4.22**
Inset	315.06.752	**4.24**



SUS 304 mounting plate 4 holes, H=0mm		
Description	**Cat. No.**	**Price* (SGD)**
4-hole mounting plate for clip-on damper hinge	315.98.570	**0.27**

Stainless steel wood screw for SUS 304 Metalla SM		
Description	**Cat. No.**	**Price* (SGD)**
Wood screw, 15.5mm	315.59.090	**0.07**



Metalla SM with soft closing, 110°, clip-on		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	311.60.525	**2.90**
Half overlay	311.60.526	**3.10**
Inset	311.60.527	**3.32**

Mounting plate for Metalla SM		
Description	**Cat. No.**	**Price* (SGD)**
Mounting plate, 0 mm	311.71.540	**0.25**
Mounting plate, 2 mm	311.71.542	**0.25**



Metalla SM with soft closing, 165°, clip-on		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	315.02.750	**5.66**
Half overlay	315.02.751	**5.66**
Inset	315.02.752	**5.69**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

METALLA A HINGES



Metalla A hinge 110°		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	311.90.500	**0.50**
Half overlay	311.90.501	**0.60**
Inset	311.90.502	**0.70**

Mounting plate Metalla A		
Description	**Cat. No.**	**Price* (SGD)**
Mounting plate, 0mm	311.98.500	**0.20**
Mounting plate, 2 mm	311.98.502	**0.15**



Metalla A hinge 92° for profile door		
Description	**Cat. No.**	**Price* (SGD)**
Full overlay	316.31.500	**2.59**
Half overlay	316.31.501	**2.99**
Inset	316.31.502	**3.38**



Mounting plate Metalla A		
Description	**Cat. No.**	**Price* (SGD)**
Mounting plate, 4mm	316.51.504	**0.22**
Mounting plate, 6mm	316.51.506	**0.22**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

MAXI UP

Version without soft closing mechanism



Version with soft closing mechanism



Maxi Up			
Model	**Description**	**Cat. No.**	**Price* (SGD)**
F	Opening angle approx. 75° Material - Stay: Zinc alloy, mounting brackets and screw-on brackets: Steel, safety cap for adjusting screw: Plastic; Finish - Nickel plated, safety cap: Grey; Colour - Adjusting screw: F-Blue, G-Brown, H-Black	373.85.700	**31.84**
G		373.85.701	**31.84**
H		373.85.702	**31.84**

Sample measurements table for max. lid weight			
Lid depth (mm)	**Lid weight (kg)**		
	Model F	**Model G**	**Model H**
1Lid fitting			
400	1.6-3.1	3.0-5.3	5.2-9.4
500	1.3-2.6	2.5-4.2	4.3-7.5
600	1.1-2.5	2.3-4.2	4.0-6.7
2 Lid fittings			
400	3.2-6.2	6.6-10.6	10.4-18.8
500	2.6-5.2	5.0-8.4	8.6-15.0
600	2.2-5.0	4.6-8.4	8.0-13.4

Order Reference
Please order mounting brackets and screw-on brackets separately.
Soft closing mechanism available for the lid (optional).



Mounting bracket for cabinet			
Description	**Material**	**Cat. No.**	**Price* (SGD)**
For edge distance 37mm	Steel, nickel plated	373.69.906	**1.20**

①



Screw-on bracket			
Description	**Installation**	**Cat. No.**	**Price* (SGD)**
① For wooden flaps/lids or flaps/lids with aluminium frame,from frame width 45 mm; Steel; Finish: Nickel-plated	For chipboard screws	373.66.681	**1.00**
② For flaps/lids with aluminium frame 20mm; Steel; Finish: Nickel-plated	Without slide-on clip	373.69.905	**1.09**

②





Soft closing mechanism			
Description	**Material**	**Cat. No.**	**Price* (SGD)**
For edge distances 28 and 37 mm; adjustable dampening distance Finish: Nickel-plated	Zinc Alloy	373.69.799	**10.95**

Note
The mounting bracket for the cabinet is not required when using the soft closing mechanism.

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

PUSH PIN MEDIUM VERSION

Push medium version, with buffer			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Pin stroke 20 mm For drill-in Ø10 mm, depth min 50 mm	Light grey	356.12.513	**5.83**

Push medium version, with magnet			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Pin stroke 20 mm For drill-in Ø10 mm, depth min 50 mm	Light grey	356.12.501	**5.77**

Adapter housing and plate for medium version			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Adapter housing and plate housing	Light grey	356.12.526	**0.75**

Push plate for magnet		
Description	**Cat. No.**	**Price* (SGD)**
Plate for magnet, with ∅ 3 mm pin	356.01.549	**0.20**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

PUSH PIN LONG VERSION



Push long version, with buffer			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Pin stroke 37 mm For drill-in Ø10 mm, depth min 50 mm	Light grey	356.12.517	**6.49**

Push long version, with magnet			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Pin stroke 37 mm For drill-in Ø10 mm, depth min 50 mm	Light grey	356.12.505	**6.32**

Adapter housing and plate for long version			
Description	**Finish**	**Cat. No.**	**Price* (SGD)**
Adapter housing and plate housing	Light grey	356.12.527	**0.86**

Push plate for magnet		
Description	**Cat. No.**	**Price* (SGD)**
Plate for magnet, with ∅ 3 mm pin	356.01.549	**0.20**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

SHELF SUPPORTS

For wooden shelves plug fitting into ∅3 mm drill hole

Load bearing capacity 9.4 kg in compliance with 75 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.25.717	**0.11**

With plug, load bearing capacity 6.25 kg in compliance with 50 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.25.727	**0.11**

For wooden shelves plug fitting into ∅5 mm drill hole

Support dimension 1mm, load bearing capacity 9.4 kg in compliance with 75 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.717	**0.11**

Support dimension 6mm, load bearing capacity 9.4 kg in compliance with 75 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.718	**0.11**

With plug, support dimension 1mm, load bearing capacity 15.6 kg in compliance with 125 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.727	**0.11**

With plug, support dimension 6mm, load bearing capacity 15.6 kg in compliance with 125 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.728	**0.11**

For glass shelves plug fitting into ∅3 mm drill hole

Load bearing capacity 9.4 kg in compliance with 75 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.25.733	**0.22**

For glass shelves plug fitting into ∅5 mm drill hole

Support dimension 2mm , load bearing capacity 3.1 kg in compliance with 25 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.733	**0.22**

Support dimension 7mm , load bearing capacity 2.0 kg in compliance with 16 kg test load		
Finish	**Cat. No.**	**Price* (SGD)**
Nickel plated	282.24.734	**0.22**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

FURNITURE HANDLES

FURNITURE HANDLES COLLECTION



Dim. A x B (mm)	Finish	Hole centres	Cat. No.	Price* (SGD)
218 x 21	Lead coloured	160/192	106.61.464	**23.87**
218 x 21	Titanium coloured	160/192	106.61.964	**21.69**
218 x 21	White matt	160/192	106.61.764	**21.68**
218 x 21	Copper plated antique	160/192	106.61.164	**26.50**



Dim. A x B mm	Finish	Hole centres	Cat. No.	Price* (SGD)
172 x 33	Chrome plated polished	160	106.61.254	**19.51**
172 x 33	Nickel plated brushed	160	106.61.054	**18.21**
172 x 33	Nickel plated black polished	160	106.61.354	**24.67**
172 x 33	Nickel plated black brushed	160	106.61.554	**24.08**
172 x 33 172 x 33	Bronze matt	160	106.61.154	**18.96**
172 x 33	Tin plated antique	160	106.61.954	**14.94**
172 x 33	Copper plated antique	160	106.61.454	**21.62**
172 x 33	Rose silver	160	106.63.716	**18.20**
172 x 33	Rose gold	160	106.63.816	**18.20**

For more furniture handles, please view the latest '2017 Furniture Handles Collection' brochure at www.hafele.com.sg.

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

ALUMINIUM HANDLE PROFILE



Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
23 x 49.3	2500	Silver coloured anodized	126.37.900	**49.22**
		Black	126.37.300	**61.78**
End cap				
Mounting	**Material**	**Finish**	**Cat. No.**	**Price* (SGD)**
Right	Plastic	Silver coloured	126.37.997	**1.99**
		Black	126.37.937	**1.80**
Left		Silver coloured	126.37.998	**1.99**
		Black	126.37.938	**1.80**
Fixing bracket 90°				
Material			**Cat. No.**	**Price* (SGD)**
Stainless steel			126.37.990	**1.41**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

ALUMINIUM HANDLE PROFILE



Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
23 x 63.6	2500	Silver coloured anodized (GR2)	126.36.900	**66.34**
		Black	126.36.300	**78.62**
End cap				
Material		**Finish**	**Cat. No.**	**Price* (SGD)**
Plastic		Silver coloured	126.37.996	**1.80**
		Black	126.37.936	
Fixing bracket 90°				
Material			**Cat. No.**	**Price* (SGD)**
Stainless steel			126.37.990	**1.41**





Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
20 x 19.6	2500	Silver coloured anodized	126.53.902	**41.84**
		Black	126.53.302	**46.03**

*Prices listed are inclusive of Goods and Services Tax (GST)

We reserve the right to alter specifications and prices without prior notice.

ALUMINIUM HANDLE PROFILE



Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
21 x 19.5	3000	Silver anodized	126.27.909	**16.28**
21 x 19.5		Black matt anodized	126.21.303	**41.19**
21 x 19.5		Copper anodized	126.21.103	**37.75**



Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
30 x 19.5	3000	Silver anodized	126.27.906	**18.85**
30 x 19.5		Black matt anodized	126.22.303	**43.45**
30 x 19.5		Copper anodized	126.22.103	**39.08**



Dim. A x B (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
35 x 19.5	3000	Silver anodized	126.27.905	**33.08**
35 x 19.5		Black matt anodized	126.27.303	**55.98**
35 x 19.5		Copper anodized	126.27.103	**51.87**



Dim. A x B x C (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
43 x 20 x 1.6	3000	Silver anodized	126.27.907	**15.07**
43 x 20 x 1.6		Black matt anodized	126.14.304	**40.01**
43 x 20 x 1.6		Copper anodized	126.14.104	**35.64**



Dim. A x B x C (mm)	Length (mm)	Finish	Cat. No.	Price* (SGD)
34.5 x 8.5 x 10	3000	Silver anodized	126.27.908	**15.61**
34.5 x 8.5 x 10		Black matt anodized	126.15.302	**42.27**
34.5 x 8.5 x 10		Copper anodized	126.15.102	**37.90**

We reserve the right to alter specifications and prices without prior notice.

*Prices listed are inclusive of Goods and Services Tax (GST)

QUICK SELECT

With article & page number

106.61.054 68	271.99.266 55	373.69.799 63	402.54.401 46	422.25.614 22	806.24.324 10	833.73.733 27
106.61.154 68	271.99.300 55	373.69.905 63	402.54.402 46	432.16.330 22	806.24.327 10	833.73.733 28
106.61.164 68	271.99.346 55	373.69.906 63	402.54.403 46	432.16.335 22	806.24.334 11	833.73.739 27
106.61.254 68	271.99.382 55	373.85.700 63	402.54.602 46	432.16.340 22	806.24.337 11	833.73.739 28
106.61.354 68	271.99.410 55	373.85.701 63	402.54.603 46	432.16.345 22	806.24.353 12	833.73.740 40
106.61.454 68	282.24.717 66	373.85.702 63	406.02.032 49	432.16.350 22	806.24.374 11	833.73.741 40
106.61.464 68	282.24.718 66	400.52.954 47	406.02.033 49	432.16.355 22	806.24.384 10	833.73.751 41
106.61.554 68	282.24.727 66	400.52.955 47	406.02.034 49	432.16.360 22	806.24.387 10	833.73.766 30
106.61.764 68	282.24.728 66	400.52.956 47	406.11.094 50	433.10.462 21	806.24.391 11	833.73.767 27
106.61.954 68	282.24.733 66	402.35.000 47	406.11.101 50	433.10.463 21	806.24.704 10	833.73.767 28
106.61.964 68	282.24.734 66	402.35.001 47	406.11.102 50	433.10.464 21	806.24.707 10	833.73.768 27
106.63.716 68	282.25.717 66	402.35.002 47	406.11.103 50	433.10.465 21	806.24.714 11	833.73.768 28
106.63.816 68	282.25.727 66	402.35.003 47	406.11.104 50	433.10.466 21	806.24.717 11	833.73.769 27
126.14.104 71	282.25.733 66	402.35.004 47	406.11.105 50	433.10.467 21	806.24.724 10	833.73.769 28
126.14.304 71	311.60.525 61	402.35.005 47	406.11.106 50	433.19.080 21	806.24.727 10	833.73.770 27
126.15.102 71	311.60.526 61	402.35.006 47	406.11.107 50	433.19.086 21	806.24.734 11	833.73.770 28
126.15.302 71	311.60.527 61	402.35.007 47	406.11.108 50	433.19.590 21	806.24.737 11	833.73.776 41
126.21.103 71	311.71.540 61	402.35.008 47	406.11.109 50	433.20.510 21	806.24.753 12	833.74.090 29
126.21.303 71	311.71.542 61	402.35.009 47	406.11.110 50	551.93.505 23	806.24.760 12	833.74.091 29
126.22.103 71	311.90.500 62	402.35.010 47	406.11.111 50	551.98.505 23	806.24.774 11	833.74.150 29
126.22.303 71	311.90.501 62	402.35.011 47	406.11.112 50	551.98.515 23	806.24.784 10	833.74.151 29
126.27.103 71	311.90.502 62	402.35.020 47	406.78.026 48	568.60.723 19	806.24.787 10	833.74.733 38
126.27.303 71	311.98.500 62	402.35.021 47	406.78.027 48	568.60.793 19	806.24.791 11	833.74.751 30
126.27.905 71	311.98.502 62	402.35.022 47	406.78.032 48	568.66.723 19	811.19.301 10	833.74.773 30
126.27.906 71	315.02.750 61	402.35.023 47	406.78.037 48	646.31.000 57	811.19.302 10	833.74.798 30
126.27.907 71	315.02.751 61	402.35.024 47	406.78.310 48	661.05.320 57	811.19.303 10	833.74.812 38
126.27.908 71	315.02.752 61	402.35.025 47	406.78.311 48	661.05.330 57	822.65.001 42	833.74.822 38
126.27.909 71	315.06.750 61	402.35.026 47	406.78.922 48	801.21.936 17	822.65.002 42	833.74.826 38
126.36.300 70	315.06.751 61	402.35.027 47	406.78.923 48	801.37.013 18	822.65.034 42	833.74.832 37
126.36.900 70	315.06.752 61	402.35.028 47	407.47.002 48	802.07.200 17	822.71.021 43	833.74.832 37
126.37.300 69	315.20.750 60	402.35.029 47	407.47.004 48	802.11.010 18	833.72.091 26	833.74.845 38
126.37.900 69	315.59.019 60	402.35.030 47	407.90.200 52	803.29.070 18	833.72.092 26	833.74.848 38
126.37.936 70	315.59.090 61	402.35.031 47	407.90.201 52	803.33.757 17	833.72.280 27	833.74.947 41
126.37.937 69	315.98.570 61	402.35.032 47	409.60.902 51	803.33.990 17	833.72.283 27	833.74.960 30
126.37.938 69	315.98.656 60	402.35.033 47	409.60.903 51	803.42.070 18	833.72.790 17	833.74.962 30
126.37.990 69	316.31.500 62	402.35.034 47	409.61.750 51	803.42.090 18	833.72.800 27	833.74.964 30
126.37.990 70	316.31.501 62	402.35.500 47	409.61.930 51	805.20.255 16	833.72.840 37	833.75.006 34
126.37.996 70	316.31.502 62	402.35.625 47	409.62.700 51	805.20.557 16	833.72.841 37	833.75.016 34
126.37.997 69	316.51.504 62	402.35.635 47	409.62.900 51	805.24.330 16	833.72.843 37	833.75.090 31
126.37.998 69	316.51.506 62	402.35.660 47	409.62.940 51	805.68.210 12	833.72.844 37	833.75.091 31
126.53.302 70	348.29.600 59	402.36.490 46	409.63.710 51	805.68.300 12	833.72.845 37	833.75.100 31
126.53.902 70	348.31.801 59	402.36.502 46	422.25.258 22	805.68.310 12	833.72.846 37	833.75.101 31
271.87.920 56	348.32.801 59	402.36.503 46	422.25.267 22	805.68.700 12	833.72.852 37	833.76.240 32
271.87.921 56	348.38.581 59	402.36.802 46	422.25.301 22	805.72.290 13	833.72.853 37	833.76.241 32
271.87.922 56	348.40.001 59	402.36.803 46	422.25.310 22	805.72.291 13	833.72.854 37	833.76.242 32
271.95.203 55	348.40.003 59	402.36.812 46	422.25.356 22	806.22.400 15	833.72.855 37	833.77.120 31
271.95.204 56	348.40.004 59	402.36.813 46	422.25.365 22	806.22.401 15	833.73.110 30	833.77.121 31
271.95.361 56	356.01.549 64	402.36.822 46	422.25.409 22	806.22.500 15	833.73.111 30	833.77.130 31
271.97.300 54	356.01.549 65	402.36.823 46	422.25.418 22	806.22.501 15	833.73.121 28	833.77.131 31
271.97.301 54	356.12.501 64	402.36.832 46	422.25.454 22	806.22.700 15	833.73.123 28	833.77.200 33
271.99.122 56	356.12.505 65	402.36.833 46	422.25.463 22	806.22.701 15	833.73.181 27	833.77.710 34
271.99.140 56	356.12.513 64	402.54.000 46	422.25.507 22	806.24.260 12	833.73.183 27	833.77.714 34
271.99.168 56	356.12.517 65	402.54.001 46	422.25.516 22	806.24.304 10	833.73.213 26	833.77.721 33
271.99.186 56	356.12.526 64	402.54.002 46	422.25.552 22	806.24.307 10	833.73.222 26	833.77.723 34
271.99.202 56	356.12.527 65	402.54.003 46	422.25.561 22	806.24.314 11	833.73.731 27	833.77.724 34
271.99.220 55	373.66.681 63	402.54.400 46	422.25.605 22	806.24.317 11	833.73.731 28	833.77.757 33

QUICK SELECT

With article & page number

833.77.759	32	833.89.133	39
833.77.760	32	833.89.142	39
833.77.762	32	833.89.143	39
833.77.776	33	833.89.144	41
833.77.777	33	850.00.005	25
833.77.784	40	850.00.006	25
833.77.785	40	850.00.015	25
833.77.786	33	850.00.016	25
833.77.787	33	850.00.017	25
833.77.809	33	850.00.018	25
833.77.810	33	940.42.200	51
833.77.811	33	940.42.300	51
833.77.812	33		
833.77.813	34		
833.77.814	32		
833.77.815	32		
833.77.816	32		
833.77.817	32		
833.77.934	41		
833.77.945	34		
833.77.947	34		
833.77.949	34		
833.78.090	35		
833.78.091	35		
833.78.092	35		
833.78.093	35		
833.80.706	35		
833.80.720	35		
833.80.900	35		
833.80.901	35		
833.80.912	41		
833.87.020	36		
833.87.021	36		
833.89.000	30		
833.89.000	34		
833.89.000	35		
833.89.048	39		
833.89.059	39		
833.89.061	41		
833.89.066	30		
833.89.066	34		
833.89.067	41		
833.89.069	41		
833.89.069	41		
833.89.090	39		
833.89.092	39		
833.89.106	39		
833.89.108	39		
833.89.120	40		
833.89.121	40		
833.89.122	40		
833.89.123	40		
833.89.126	39		
833.89.127	39		
833.89.128	39		
833.89.129	39		

HÄFELE

Häfele Singapore Pte. Ltd.

Office
68 Sungei Kadut Loop I #03-00 Nutzcentre I Singapore 729504
Phone: +65 6494 7400 I Fax: +65 6494 7401 I Email: info@hafele.com.sg

Showroom
1 Kaki Bukit Road 1 I #01-27/28 Enterprise One I Singapore 415934
Phone: +65 6848 9075 I Email: showroom@hafele.com.sg

www.hafele.com.sg

732.04.014 - January 2018